

# Apple Writer ][ Reference Card

Commands using the CTRL key are shown as [ ].  
All commands may be entered in upper or lower case.

## EDITING

Command	Effect
ESC ESC	Cursor move mode: I up one line J left one character K right one character M down one line E up 12 lines S left 24 characters or one word D right 24 characters or one word X down 12 lines
<--	Deletes character(s)
-->	Retrieves character(s) deleted by <--
[ B ]	Moves cursor to file beginning; sets Data Line arrow to >
[ C ]	Automatic case change; cursor displays L or U
[ D ]	Changes direction of Data Line arrow
[ E ]	Moves cursor to file end; sets data line arrow to <
[ F ]/{text}/{replacement}/	Finds and deletes {text} and inserts {replacement}
[ G ]?{character}{text}	Defines glossary term
[ G ]{character}	Inserts text previously defined by {character}
[ G ]*	Deletes all glossary definitions in memory
[ I ]	Tabs to position set by [ T ]
[ K ]	Alpha lock; displays U on Data Line
[ L ]FILENAME,d#	Loads FILENAME into memory from diskette in drive #
[ L ]#/marker1/marker2/	Copies specified text segment from memory to cursor position
[ L ]FILENAME,d#\	Displays FILENAME on screen
[ L ]?,d#	Lists file names on diskette in drive #
[ N ]	Erases memory
[ O ]	DOS Commands Menu
[ P ]?	[ P ]rint/Program Commands Menu
[ Q ]	Additional Functions Menu
[ R ]	Replace edit mode
[ S ]FILENAME,d#	Saves memory contents under FILENAME on diskette in drive #
[ T ]	Tab set/clear/purge
[ V ]	Accepts CTRL characters as text entries; V appears on Data Line
[ W ]	Word delete or insert
[ X ]	Paragraph delete or insert
[ Y ]	Split screen enable/disable
[ Z ]	Enable/disable word wrap-around; Z on Data Line when enabled

## Apple Writer ][ Reference Card

### PRINTING

<u>Command</u>	<u>Effect</u>	
[P]NP	Prints text currently in memory	
[P]CP	Continues printing	
[P]?	Displays print format options	Default Value:
LM{number}	Sets left margin to {number}	9
PM{number}	Indents/Outdents paragraph margin to {number}; value relative to "LM"	0
RM{number}	Sets right margin to {number}	79
TM{number}	Sets top margin to {number}	1
BM{number}	Sets bottom margin to {number}	1
PN{number}	Sets {number} of first page printed	1
PL{number}	Sets {number} of printed lines per page	58
PI{number}	Sets page interval (form length) to {number}	66
LI{number}	Sets {number} of spaces between lines	0
SP{0 or 1}	Selects continuous sheet feed {0} or single page {1} printing	0
PD{number}	Selects print device destination slot	1
CR{0 or 1}	Selects {1}/deselects {0} line feed signal to printer	0
LJ	Left justify	
FJ	Fill justify	LJ
CJ	Center justify	
RJ	Right justify	
TL	Specify top line headings	blank
BL	Specify bottom line headings	blank

The Print/Program commands and the commands which follow can be embedded in your text by preceding them with a carriage return and a period. Each text-embedded command must be entered on a separate line.

.FF	Form feed
.FF{number}	Conditional form feed if less than {number} lines left on page being printed
.IN{text}	Stops printing and displays {text} on monitor
.EP{0 or 1}	Suppresses {0} or enables {1} printing